



**APPENDIX TWO:
TARGET NOTES REPORT**

LAND OFF PEARTREE LANE: Target Notes

Target Note TN1

Strip of species-poor hedge and trees in the north west of the site.

<i>Crataegus monogyna</i>	A
<i>Sambucus nigra</i>	F
<i>Quercus robur</i>	O
<i>Rubus fruticosus agg.</i>	R

D = Dominant, A = Abundant, F = Frequent, O = Occasional, R = Rare (within the target note area).

Target Note TN2

Strip of semi-improved grassland between northern boundary hedgerow and improved grassland. This area slightly more herb rich than the adjacent improved grassland, it also contains much less Italian rye-grass.

Target Note TN3

Line of species-poor hedge and trees running west from north east corner of the site where it then meets a strip of blackthorn dominated species-poor hedge

<i>Crataegus monogyna</i>	D
<i>Quercus robur</i>	F
<i>Rubus fruticosus agg.</i>	F
<i>Sambucus nigra</i>	O
<i>Ilex aquifolium</i>	O
<i>Hedera helix</i>	O

D = Dominant, A = Abundant, F = Frequent, O = Occasional, R = Rare (within the target note area).

Target Note TN4

Species-poor hedge and trees which runs south, half way down the eastern boundary of the northern field.

<i>Crataegus monogyna</i>	A
<i>Prunus spinosa</i>	F
<i>Quercus robur</i>	F
<i>Acer pseudoplatanus</i>	O
<i>Solanum dulcamara</i>	O
<i>Urtica dioica</i>	O
<i>Calystegia sp.</i>	O
<i>Rubus fruticosus agg.</i>	O
<i>Malus domestica</i>	R

D = Dominant, A = Abundant, F = Frequent, O = Occasional, R = Rare (within the target note area).

Target Note TN5

Improved grassland in the northern field of the site.

<i>Lolium multiflorum</i>	D
<i>Holcus lanatus</i>	A
<i>Agrostis stolonifera</i>	F
<i>Ranunculus repens</i>	F
<i>Ranunculus acris</i>	O
<i>Dactylis glomerata</i>	O
<i>Phleum pratense</i>	O
<i>Rumex acetosa</i>	O
<i>Arrhenatherum elatius</i>	O
<i>Plantago lanceolata</i>	O
<i>Rumex crispus</i>	O
<i>Taraxacum officinale agg.</i>	R

D = Dominant, A = Abundant, F = Frequent, O = Occasional, R = Rare (within the target note area).

Target Note TN6

Species-poor hedge and trees which runs along the length of the western boundary of the site.

<i>Crataegus monogyna</i>	F
<i>Hedera helix</i>	F
<i>Acer pseudoplatanus</i>	F
<i>Quercus robur</i>	F
<i>Alnus glutinosa</i>	O
<i>Fraxinus excelsior</i>	O
<i>Ilex aquifolium</i>	O
<i>Rosa canina agg.</i>	R

D = Dominant, A = Abundant, F = Frequent, O = Occasional, R = Rare (within the target note area).

Target Note TN7

Species-rich hedge and trees in the centre of the site which runs from the eastern edge to the pond.

<i>Quercus robur</i>	F
<i>Hedera helix</i>	F
<i>Prunus spinosa</i>	O
<i>Urtica dioica</i>	O
<i>Sambucus nigra</i>	O
<i>Corylus avellana</i>	O
<i>Ilex aquifolium</i>	O
<i>Crataegus monogyna</i>	O
<i>Rubus fruticosus agg.</i>	O
<i>Sorbus aucuparia</i>	R

D = Dominant, A = Abundant, F = Frequent, O = Occasional, R = Rare (within the target note area).

Target Note TN8

Species-poor hedge and trees separating the two fields. Runs from pond to eastern boundary.

<i>Quercus robur</i>	F
<i>Crataegus monogyna</i>	F
<i>Rubus fruticosus</i> agg.	F
<i>Hedera helix</i>	F
<i>Sambucus nigra</i>	O
<i>Corylus avellana</i>	O
<i>Rosa canina</i> agg.	O
<i>Ilex aquifolium</i>	O
<i>Acer pseudoplatanus</i>	R
<i>Solanum dulcamara</i>	R

D = Dominant, A = Abundant, F = Frequent, O = Occasional, R = Rare (within the target note area).

Target Note TN9

Pond in the centre of the site. There is a relatively wide strip of marginal vegetation especially on the south edge. There is little aquatic vegetation.

<i>Sparganium erectum</i>	A
<i>Phalaris arundinacea</i>	F
<i>Mentha aquatica</i>	O
<i>Juncus effusus</i>	O

D = Dominant, A = Abundant, F = Frequent, O = Occasional, R = Rare (within the target note area).

Target Note T10

Field in the south of the site. The species in this field are similar to the northern field. The different species are listed below:

<i>Cerastium fontanum</i>	O
<i>Lathyrus pratensis</i>	O
<i>Rumex obtusifolius</i>	O

D = Dominant, A = Abundant, F = Frequent, O = Occasional, R = Rare (within the target note area).

Target Note T11

Hedgerow along the southern boundary of the site.

The western two-thirds of the hedgerow is species-rich with trees, then species-poor hedge and species-poor hedge and trees makes up the remaining third.

<i>Quercus robur</i>	F
<i>Crataegus monogyna</i>	F
<i>Acer pseudoplatanus</i>	O
<i>Corylus avellana</i>	O
<i>Ilex aquifolium</i>	O
<i>Hedera helix</i>	O
<i>Rubus fruticosus agg.</i>	O
<i>Solanum dulcamara</i>	O
<i>Sorbus aucuparia</i>	O
<i>Sambucus nigra</i>	O

D = Dominant, A = Abundant, F = Frequent, O = Occasional, R = Rare (within the target note area).

Target Note T12

Line of English oak trees along the eastern boundary with occasional hawthorn scrub.